	Application No.	Applicant(s)
Notice of Allowability	10/620,421	SASAKI ET AL.
	Examiner	Art Unit
	Juanita D. Stephens	2853
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment filed 2/7/2005</u> .		
2. The allowed claim(s) is/are <u>1-12</u> .		
3. 🔀 The drawings filed on <u>07 February 2005</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date 	been received. been received in Application No cuments have been received in this of this communication to file a reply ENT of this application. Itted. Note the attached EXAMINER es reason(s) why the oath or declarate t be submitted. on's Patent Drawing Review (PTO-	national stage application from the complying with the requirements as AMENDMENT or NOTICE OF ation is deficient.
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☐ Examiner's Amend	ite
	•	

DETAILED ACTION

Drawings

1. The drawings were received on 2/7/2005. These drawings are approved.

Allowable Subject Matter

- 2. Claims 1-12 are allowed.
- 3. The following is a statement of reasons for the indication of allowable subject matter:

The prior art does not teach, suggest, or render obvious the combination of a restrictor portion provided at a recessed portion of the ejection outlet, wherein liquid forms a meniscus and is retained in the ejection outlet such that the restrictor portion is within the liquid, and wherein the restrictor portion has an opening and defines an entirety of a closed periphery of the opening, as recited in claims 1, 2 and 5. This invention solves the problem of providing a liquid ejection head which ejects extremely small liquid droplets, more specifically, liquid droplets, the size of which are on the order of no more than a pico-liter.

Contact Information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Juanita D. Stephens whose telephone number is (571) 272-2153. The examiner can normally be reached on Flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/620,421

Art Unit: 2853

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

March 1, 2005

manta D. Slatter

Juanita D. Stephens Primary Examiner Art Unit 2853